


























# DR series




Model	DR 60	DR 75	DR 90	DR 99
	Order no.	Order no.	Order no.	Order no.
High-gloss-galvanized, chromised + lacquer	02.18 392.51	02.18 400.51	02.18 404.51	02.18 408.51
Length (mm)	740	790	795	790
Width (mm)	515	515	515	515
Height (mm)	940	950	1005	1010
Basket volume (litres)	61	74	86	98
Wheel diameter (mm)	75	100	100	100
Weight (kg)	12,4	17,5	18,0	18,5
 Space required per trolley (mm)	118	120	120	120
 Space required for 10 trolleys (mm)	1802	1870	1875	1870
 Space required for 50 trolleys (mm)	6522	6670	6675	6670
Available space park boxes, 3-row, length 5 m	108	105	105	105
<b>Accessories</b>				
 Advertising handle	●	●	●	●
 Child seat	standard	standard	standard	standard
 Child seat crate holder	-	●	●	●
 Child seat goods holder	-	-	-	-
 Child seat with poster holder	upon request	upon request	upon request	upon request
 Safety belt for child seat	●	●	●	●
 Bumper rail	●	●	●	●
 Base rack	●	●	●	●
 Bag hook	●	●	●	●
 Rear bag hook	●	●	●	●
 Wire compartment	●	●	●	●
 Plastic compartment	-	●	●	●
 Small article wire basket	-	-	-	-
 Wire partition	-	-	-	-
 Basket top corner protectors - 1 pair	-	●	●	●
 Basket bottom corner protectors - 1 pair, transparent	-	●	●	●
 Basket protector profile C	●	●	●	●
 Textile bar, right-hand mounting, height 563 mm	-	-	-	-
 Flower holder	●	●	●	●
 Classic deposit lock system	●	●	●	●
 Starbox deposit lock system	●	●	●	●
 Promobox deposit lock system	-	-	-	-
 Wanzl wheels - 1 set, rubber	standard	standard	standard	standard
 Wanzl passenger conveyor wheels - 1 set	-	-	-	-




## Dimensions (mm)




**DR 60**




**DR 75**




**DR 90**




**DR 99**




**DR 101**




**DR 120**




**DR 130**




**DR 136**



**DR 150**



**DR 180**



**DR 212**

Dimension tolerance 20 mm, no influence on function